

24" x 32", Black, Sani-Trax[®] Shoe Sanitizing Mat, 346

Product Images



Short Description

- Tough rubber compound resists most chemicals and variations in temperature
- Overall mat thickness is 3/4" and holds up to one gallon of sanitizing solution
- Thick containment border stands 1/4" higher than finger scrapers to contain disinfectant and contaminants
- Thousands of flexible rubber fingers provide scrubbing action
- Suction cups on underside help to minimize mat movement

Description

Sani-Trax® is an entrance disinfectant mat that cleans and sanitizes shoes at entrances to sensitive areas such as food processing plants or laboratories. Thousands of flexible fingers provide an automatic scrubbing action that dislodges contaminants from footwear. A thick rubber border allows the shoe sanitizing door mat to hold up to a gallon of disinfectant solution and as traffic passes, the rubber tips bend to immerse the soles of shoes in the disinfectant solution. A tough rubber compound is designed to resist most chemicals and variations in temperature, while suction cups on the underside of the mat keep it in place.

Specifications

Model No	346S2432BL
Color	Black
Dimensions	24in x 32in
Thickness	3/4in
UPC	662641660328
Brand	NoTrax
Available Colors	Black
Standard sizes	18"x24", 24"x32"
Group	Ergonomic, Anti-fatigue & Safety Matting
Environment	Wet/Dry Areas
Special Characteristics	Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals
Recommended Use	At doorways, starter rooms, packaging areas, laboratories, employee locker rooms, break rooms, refuse areas and receiving areas. Any place where spread of contamination needs to be limited.
Special Remarks	Use quaternary ammonium, iodine, chlorine, or any other sanitizer but always test it's concentration. Most sanitizers are concentrated and must be diluted before use in a footbath. Follow label directions for appropriate dilutions.
Edges	Beveled rubber borders on all four sides
Usage Intensity	Heavy traffic
Material Specifications	Natural rubber
Surface Detail	Flexible Rubber Bristles
Process	Compression Molding
Pallet Quantity	60
Weight Lbs/sqft	2
Thickness Inch	3/4in
Fire Rating US	Pass

REACH Compliant

Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).